



ASSISTANT COMMISSIONER FOR PATENTS
Washington, D.C. 20231

Case Docket No. ROC920000077US1

0021.0011

August 3, 2000

Express Mail Label No. EL637622469US

Dear Sir:

Transmitted herewith for filing is the patent application of

Inventor(s): C. L. Bates; P. R. Day; and J. M. Santosuosso

For: **METHOD, SYSTEM, AND PROGRAM FOR ENHANCING TEXT COMPOSITION IN A TEXT EDITOR PROGRAM**

Enclosed are:

- ☒ 6 No. of Sheets of Drawings Sheet(s) of drawings (☒ informal) + 0 extra copies;
☒ 22 pages of Application; 12 pages of specification, 1 page of abstract
☒ An assignment of the invention to International Business Machines Corporation. (Will follow.)
☒ An associate power of attorney.
☒ A verified statement to establish small entity status under 37 CFR 1.9 and 1.27.
☒ Declaration and Power of Attorney. (Will follow.)
☒ Certified copy of Patent Application No. filed from which priority is claimed under 35 U.S.C. §119.
☒ IDS enclosed. with references.

CALCULATION OF FEES					
	ITEM	NO. OF CLAIMS FILED MINUS BASE*	NO. OF CLAIMS OVER BASE	X SM/LG ENTITY FEE	\$ AMOUNT
A	TOTAL CLAIMS FEE	36 - 20* =	16	X \$9 or \$18	\$288
B	INDEPENDENT CLAIMS FEE**	3 - 3* =	0	X \$39 or \$78	\$0
C	SUBTOTAL - ADDITIONAL CLAIMS FEE (ADD FINAL COLUMN IN LINES A + B)				288
D	MULTIPLE-DEPENDENT CLAIMS FEE SMALL ENTITY FEE = \$130; LARGE ENTITY FEE = \$260				\$0
E	BASIC FEE* SMALL ENTITY FEE = \$345; LARGE ENTITY FEE = \$690				\$690
F	TOTAL FILING FEE (ADD TOTALS FOR LINES C, D, AND E)				\$978
G	ASSIGNMENT RECORDING FEE				\$ 40
	**LIST INDEPENDENT CLAIMS 1, 13, 25				\$40

Please charge Dep. Acct. No. 50-0585 in the amount of

\$

A copy of this sheet is enclosed.

- ☒ A check in the amount of \$ 978 to cover the filing fee is enclosed.
☒ Check for \$ 40 covering the Recordation of Assignment fee enclosed.
☒ The Commissioner is hereby authorized to charge payment of the following fees associated with this communication or credit any overpayment to Deposit Account No. 50-0585. **A copy of this sheet is enclosed.**
☒ Any additional filing fees required under 37 CFR 1.16.
☒ Any patent application processing fees under 37 CFR 1.17.
☐ The Commissioner is hereby authorized to charge payment of the following fees during the pendency of this application or credit any overpayment to Deposit Account No. 50-0585. **A copy of this sheet is enclosed.**
☐ Any patent application processing fees under 37 CFR 1.17.
☐ The issue fee set in 37 CFR 1.18 at or before mailing of the Notice of Allowance, pursuant to 37 CFR 1.311(b).
☐ Any filing fees under 37 CFR 1.16 for presentation of extra claims.

**24033**

PATENT TRADEMARK OFFICE

Respectfully submitted,

David W. Victor
Registration No. 39,867

Direct Telephone Calls to:

(310) 556-7983

Direct All Correspondence to:

David W. Victor
KONRAD RAYNES & VICTOR LLP
1180 S. Beverly Drive; Suite 501
Los Angeles, CA 90035

RECEIVED
AUG 10 2000
OIFE/JCWS

METHOD, SYSTEM, AND PROGRAM FOR ENHANCING
TEXT COMPOSITION IN A TEXT EDITOR PROGRAM

BACKGROUND OF THE INVENTION

5 1. Field of the Invention

Preferred embodiments provide a method, system, and program for editing text and, in particular, improving the composition and form of text.

10 2. Description of the Related Art

One challenge writers face when composing a document or text is to avoid repetitive use of key words and phrases. Writers can improve the flow of their composition by editing a document to replace frequently repeated words or phrases with different words or phrases that convey the same thought. In fact, H.W. Fowler's famous work on English composition "The Kings English", 2nd ed. (1908) cautions that

15 Vivid writers must be careful not to repeat any conspicuous phrase so soon that a reader of ordinary memory has not had time to forget it before it invites his attention again. Whatever its merits, to use it twice (unless deliberately and with point) is much worse than never to have thought of it.

The Kings English, Ch. II, Part 60.

20 Below is an example of a passage that repeats a key term:

In many ways our shoes can talk. But not with their tongues. By their size they **show** how big we are. By their make and style they **show** who we are; that is, they **show** our status, our occupation, what we see in ourselves, and how we want others to see us.

25 The writer would recognize that in the above passage the word "show" is repeated. To improve the flow and composition of the passage, the writer would edit the passage by replacing repeated instances of "show" with different words that convey the same meaning. For instance, the edited passage that replaces repeated instances of "show" could read:

30

In many ways our shoes can talk. But not with their tongues. By their size they **tell** how big we are. By their make and style they **reveal** who we are; that is, they **show** our status, our occupation, what we see in ourselves, and how we want others to see us.

5

Current word processing programs allow writers to check and correct spelling mistakes and the grammar of the passage. Further, prior art word processing programs typically include a thesaurus associating synonyms with words. Word processing programs typically display a dialog box in which the user enters a term and selects a push button to cause the thesaurus program to access synonyms associated with the entered term. Thus, with current word processing art, a user could remove repeated words by manually editing the text, using a mouse or other pointing device to position the cursor to repeated instances of terms in the text, and then invoking the thesaurus dialog to find synonymous terms to substitute for the repeated term using a computer input device such as a mouse.

10
15

There is a need in the art for an improved technique for allowing users to determine and select alternate words and phrases when editing or creating a document to improve composition so that a reader of ordinary memory has had enough time to forget a key term or phrase before reading it again.

20

SUMMARY OF THE PREFERRED EMBODIMENTS

To overcome the limitations in the prior art described above, preferred embodiments disclose a computer implemented method, system, and program for editing text in a computer text editor program. A determination is made of terms repeated in a section of text. A determination is then made of terms associated with the repeated terms that may be used as substitute terms for the repeated terms. A selection is made of one instance of one repeated term in the text and user selection is received of one associated term for the selected instance of the repeated term. The selected associated term is replaced for the selected instance of the repeated term in response to the user selection.

25

The section of text in which repeated terms are determined is capable of comprising a paragraph, a sentence, a page, a sub-heading or the entire document.

5 In further embodiments, a graphical user interface (GUI) is displayed with the repeated terms. The selected instance of the repeated term in the text is graphically indicated and the determined terms associated with the selected repeated term are displayed. The user selected associated term is substituted into the text for the graphically indicated selected repeated term. Graphical indication is then made of a next

10 repeated term in the text.

In still further embodiments, different groups of associated terms are maintained, wherein each group comprises different sets of associated terms. A determination is made of a selected group of associated terms, such as a literary category of associated terms. In such case determining the terms associated with the selected repeated term further comprises determining terms in the selected group associated with the selected repeated term, wherein different groups are capable of providing different associated terms for the selected repeated term.

Preferred embodiments provide a tool for use with a word processing program that locates repeated terms and provides the user with a list of possible substitute terms to use for the repeated term. With the preferred embodiments, the user can view the repeated terms and determine how to substitute terms for the repeated terms to avoid using the same term frequently, which is undesirable from a composition standpoint. Moreover, with preferred embodiments, the user may select a particular literary category, e.g., the Bible, Shakespeare, Mark Twain, etc., of associated terms to use when determining a term to substitute for a repeated term. In this way, the user can locate substitute terms that are related according to a specific literary category.

BRIEF DESCRIPTION OF THE DRAWINGS

Referring now to the drawings in which like reference numbers represents corresponding parts throughout:

FIG. 1 illustrates a computing environment in which preferred embodiments are implemented;

FIGs. 2-5 illustrate graphical user interface (GUI) panels in which preferred embodiments of the present invention are implemented; and

FIG. 6 illustrates program logic to assist users in editing text to improve the composition in accordance with preferred embodiments of the present invention.

DETAILED DESCRIPTION OF THE PREFERRED EMBODIMENTS

In the following description, reference is made to the accompanying drawings which form a part hereof, and which illustrate several embodiments of the present invention. It is understood that other embodiments may be utilized and structural and operational changes may be made without departing from the scope of the present invention.

FIG. 1 illustrates a computing environment in which preferred embodiments are implemented. The computing environment includes a computer system 2 having a processor 4 and a memory 6. The processor 4 may comprise any computer microprocessor device known in the art. The memory 6 may comprise any computer volatile memory device known in the art for storing data structures that the processor 4 is accessing and processing. Alternatively, the memory 6 may comprise any type of non-volatile storage device known in the art capable of being accessed by the processor 4, such as a hard disk drive, tape drive, etc.

The memory 6 includes a text editor program 12, a composition program 14, and document 16. The text editor program 12 executes in memory 6 to provide a graphical user interface (GUI) text editing tool known in the art, such as WordPerfect, Microsoft Word, Lotus Word Pro, etc.** The composition program 14 may be a component within

the installed text editor program 12 or a separate utility that is integrated with the text editor program 12 user interface. The system further includes a display monitor 18 for displaying the graphical user interface (GUI) of the text editor program 12 and at least one input device 20, such as a touch pad, touch screen, mouse, pen stylus, keyboard, and/or any other input device known in the art capable of selecting displayed graphical elements and entering user input.

The composition program 14 searches specified portions of the document 16 for instances of repeated terms. The definition of a repeated term depends upon the unit of the document 16 the composition program 14 searches. For instance, if the unit searched is a paragraph, then the definition of a repeated term may be any term used more than once in the paragraph. Alternatively, if the unit searched is a sentence or sub-section within the document, then the definition of repeated term may be any word or word stem repeated twice in a sentence. If the repeated term is a word "stem", then the composition program 14 would use a stemming algorithm known in the art to locate all words including the same word "stem", e.g., "gratify", "gratification", "grateful," "ungrateful", "ingrate", etc. Still further, the composition program 14 may define a repeated term as repeated a determined number of times, where the determined number of times is a function of the total number of words in the section or whole of the document being considered. Thus, if the section considered is relatively short, then a repeated term would need to be repeated fewer times than a repeated term in a relatively longer section.

FIG. 2 illustrates an example of a dialog box 50a the composition program 14 would generate on the display monitor 18 after processing a passage from the text in the document 16, shown in box 52a. Text box 52a displays the located repeated terms in the passage in bold. The replace box 54a displays the term highlighted in the text box 52a, e.g., "satisfaction" in FIG. 2, that the user may change with substitute terms displayed in a "with" window 56a. If the user finds an acceptable substitute term, then the user would highlight that term and select the "select" button 58, and that term would be substituted for the highlighted term in box 52a. Alternatively, if the user does not want to change

FIG. 3 shows the dialog box 50b after the user selected the term "gratification" in the "with" box 56a in FIG. 2. In FIG. 3, the term "gratification" is shown in text box 52b, which is substituted for the previously highlighted term "satisfaction" in box 52a. In 5 FIG. 3, the "replace" box 54b shows the next repeated term "handicaps", highlighted in box 52b, and substitution terms for "handicaps" in the "with" box 56b.

In this way, whenever the term in the "associate with" 84 box is subsequently highlighted in the text box 52a, b (FIGs. 2, 3) as a repeated term, then the term added as an associated word through the "associate term" dialog box 80 will be displayed in the "with" box 56a, b in the composition helper dialog box 50a, b to provide a new substitution possibility for a repeated term. This allows the user to associate new terms or phrases with subject terms or phrases that will be considered when selecting terms or phrases to substitute for repeated terms or phrases.

Variable	Mean	SD	Min	Max
Age	34.5	10.2	21	55
Gender	0.5	0.5	0	1
Marital Status	0.6	0.5	0	1
Education	12.5	1.5	9	16
Income	15.2	5.8	5	35
Health Status	0.7	0.4	0	1
Employment Status	0.8	0.4	0	1
Life Satisfaction	4.2	1.1	1	7
Stress Level	3.8	1.2	1	7
Resilience Score	5.5	1.0	3	7
Optimism Level	4.5	1.3	1	7
Gratitude Score	5.2	1.1	3	7
Self-Esteem	4.8	1.2	1	7
Life Purpose	5.0	1.0	3	7
Meaning in Life	5.3	1.1	3	7
Existential Well-being	5.1	1.0	3	7
Overall Quality of Life	5.4	1.1	3	7

FIG. 5 illustrates an alternative embodiment including association groups. An association group provides a group of terms and associated words. An association group may comprise a literary category, such as Shakespeare, Biblical, Old English, American Slang, Mark Twain, user selected, etc. Each association group provides a separate association of substitute terms for terms based upon how the particular group or literary category associates words. For instance, in the Shakespeare group, the substitute terms would comprise terms that Shakespeare uses together, in parallel or to connote the same meaning. There may be an additional group for other literary figures, such as a Mark Twain. Further, a Biblical group could associate terms used together, in parallel or that are used for the same meaning as found in the Bible. The "user selected" group may comprise words associations created by a particular user. The user may start with a base association, such as the Webster's Thesaurus, and then over time create new associations and remove associations that are not particularly suited for substitution. In this way, a user may select substitute terms that would be used in that particular selected association group, e.g., Shakespeare, the Bible, user selected, etc.

FIG. 5 illustrates a "literary group" drop down menu 90 that displays a list 92 of selectable available association groups. The words displayed in the "with" box 56a, b are based on the words associated according to the association group selected from the drop down list 92. In this way, the composition program 14 would maintain different associations of related words to substitute for each other for different association types in association files. The association groups may be assembled using a text parsing program capable of determining words the association group treats as related, e.g., treated as related in the Bible, Mark Twain, etc. Alternatively, the association of words may be created by experts knowledgeable in the field of the particular association group. Thus, predefined association groups would be provided for use with the composition program 14.

FIG. 6 illustrates logic implemented in the composition program 14. The composition program 14 is invoked at block 100 when the computer 2 user invokes the

Moreover, when determining repeated terms, the composition program 14 may locate variants of a term having the same "stem" using stemming algorithms known in the art. For instance, the composition program 14 could identify "gratify", "gratification", "grateful", "gratefulness" and "gratifying" as repeated terms having the same stem. Moreover, the composition program 14 could locate as terms words that include the stem, such as "ungrateful", "ingrate", etc.

After determining repeated terms, the composition program 14 begins a loop from blocks 106 to 124 for each repeated term *i*. At block 108, the composition program 14 highlights term *i* in the text box 52a, b; scrolls downward through the text in the document 16 displayed in the text box 52a, b if term *i* is not currently displayed in the text box 52a, b; displays all repeated terms displayed in the text box 52a, b as bold; and displays term *i* in the "replace" window 54a, b. The composition program 14 then determines (at block 110) all words associated with term *i* and displays (at block 112) all determined associated words in the "with" box 56a, b. As discussed, associated words may be stored in a manner known in the art, such as the data structure and algorithm techniques used for storing related words in a thesaurus program.

After block 112, the composition program 14 waits for the user to take a particular action. At block 120, the composition program 14 receives user selection of a term displayed in the "with" box 56a, b, i.e., the user highlighted a term in the "with" box and then selected the "select" button 58. In response, the composition program 14 (at block 5 122) would delete the highlighted repeated term i in the text displayed in text box 52a, b and replace the removed term with the selected term. The composition program 14 would then proceed (at block 124) back to block 106 to allow the user to change the next repeated term ($i+1$)th term in the text. As discussed, the user may select the "skip" button 62 to proceed to block 124 to consider the next repeated term without replacing the 10 currently highlighted term.

At block 140, the composition program 14 receives user selection of the "add word" button 60 in the composition helper window 50a, b. In response, the composition program 14 displays (at block 142) the associate term dialog box 80 (FIG. 4) with the term i , which was displayed in the "replace" box 54a, b when the "add word" button 60 15 was selected, displayed in the "associate with" box 84.

At block 150, the composition program 14 receives a user selection of a button in the "associate term" dialog box 80. If the user selected (at block 152) the "delete word" button 90 while a term is selected in the "current associations" box 86, e.g., previously highlighted by the user input device, then the composition program 14 would delete (at 20 block 154) the selected term in the "current associations box" 86 from the group of words associated with the term in the "association with" box 84. Otherwise, if the user selected the "OK" button 88, then the composition program 14 would save (at block 158) the term in the "enter term" box 82 as a word associated with the term in the "associate with" box 84. If the user (at block 156) did not select the "OK" button, then the only other button is 25 the "close button" 92, which would cause the composition program 14 to close the "associate term" box 80.

If the user selects the "close" button in either the "composition helper" dialog box 50a, b or the "associate term" box 80, then the composition program 14 would close such

window. In preferred embodiments, after closing the "composition helper" box 50a, b, control is returned to the main GUI window of the text editor 12.

Preferred embodiments provide a composition tool to use with text editor and word processing programs known in the art to help the user avoid repeating certain key terms. The composition tool of the preferred embodiments automatically identifies repeated terms and then provides the user with a list of suitable substitute terms to use for one or more of the repeated terms.

Alternative Embodiments and Conclusions

10 This concludes the description of the preferred embodiments of the invention. The following describes some alternative embodiments for accomplishing the present invention.

The preferred embodiments may be implemented as a method, apparatus or program using standard programming and/or engineering techniques to produce software, firmware, hardware, or any combination thereof. The program, code and instructions in which the preferred embodiments are implemented are accessible from and embedded in an information bearing medium, which may comprise one or more computer-readable devices, firmware, programmable logic, memory devices (e.g., EEPROMs, ROMs, PROMs, RAMs, SRAMs, etc.), hardware, electronic devices, a computer readable magnetic storage unit, CD-ROM, a file server providing access to the programs via a network transmission line, wireless transmission media, signals propagating through space, radio waves, infrared signals, etc. Of course, those skilled in the art will recognize that many modifications may be made to this configuration without departing from the scope of the present invention.

25 The preferred algorithm described particular steps as occurring in a particular order. However, in further embodiments the order of the steps may be changed and certain steps removed and added without departing from the scope of the invention.

Moreover, different steps may be performed to execute the overall operation of the algorithm.

5 The preferred embodiment GUI described repeated terms as being bolded and the term to substitute as being highlighted. In further embodiments, the repeated terms and term to substitute may be indicated in other ways, such as displaying the terms in different colors, different fonts, different font size, etc.

10 The preferred embodiment GUI was described as having particular pushbuttons to cause a particular set of actions to occur. In further embodiments, the GUI panels for the composition tool may include additional pushbuttons to provide additional functions or combinations of functions described herein.

15 In preferred embodiments, the composition program 14 provides a tool for editing repeated terms to allow the user to use the tool to substitute an associated term for the repeated term. In further embodiments, the composition program 14 may check for repeated phrases, such as "for instance," "in this way", etc., to allow the user to replace a repeated phrase with an associated phrase.

20 In summary, the present invention provides a system, method, and program for editing text in a computer text editor program. A determination is made of terms repeated in a section of text. A determination is then made of terms associated with the repeated terms that may be used as substitute terms for the repeated terms. A selection is made of one instance of one repeated term in the text and user selection is received of one associated term for the selected instance of the repeated term. The selected associated term is replaced for the selected instance of the repeated term in response to the user selection.

25 The foregoing description of the preferred embodiments of the invention has been presented for the purposes of illustration and description. It is not intended to be exhaustive or to limit the invention to the precise form disclosed. Many modifications and variations are possible in light of the above teaching. It is intended that the scope of the invention be limited not by this detailed description, but rather by the claims

5

****WordPerfect is a registered trademark of Corel Corporation; Word Pro is a registered trademark of Lotus Development Corporation.**

Variable	Mean	SD	Min	Max
Age	34.5	10.2	21	55
Gender	Male	Female		
Marital Status	Married	Single		
Education	High School	College		
Occupation	Unemployed	Employed		
Income	\$10,000	\$20,000		
Health Status	Good	Fair		
Smoking Status	Smoker	Non-smoker		
Alcohol Consumption	Regular	Occasional		
Exercise Frequency	Weekly	Monthly		
Stress Level	High	Low		
Sleep Quality	Good	Poor		
Dietary Habits	Healthy	Unhealthy		
Family Size	2	3		
Religious Beliefs	Religious	Secular		
Political Views	Conservative	Liberal		
Travel Frequency	Often	Rarely		
Pet Ownership	Yes	No		
Home Ownership	Owner	Renter		
Car Ownership	Yes	No		
Internet Usage	High	Low		
Cell Phone Usage	High	Low		
Video Game Usage	High	Low		
Reading Habits	High	Low		
Music Listening	High	Low		
Gardening	Yes	No		
Fishing	Yes	No		
Hiking	Yes	No		
Volunteering	Yes	No		
Charitable Giving	Yes	No		
Political Participation	Yes	No		
Community Involvement	Yes	No		
Neighborhood Safety	High	Low		
Crime Rate	Low	High		
Police Presence	High	Low		
Public Services	Good	Poor		
Infrastructure	Good	Poor		
Public Transportation	Good	Poor		
Local Economy	Strong	Weak		
Unemployment Rate	Low	High		
Business Growth	High	Low		
Local Government	Effective	Ineffective		
Local Politics	Active	Inactive		
Local Media	Active	Inactive		
Local Culture	Rich	Poor		
Local History	Rich	Poor		
Local Landmarks	Many	Few		
Local Festivals	Many	Few		
Local Cuisine	Unique	Common		
Local Art	Active	Inactive		
Local Music	Active	Inactive		
Local Theater	Active	Inactive		
Local Sports	Active	Inactive		
Local Education	Good	Poor		
Local Healthcare	Good	Poor		
Local Environment	Good	Poor		
Local Parks	Many	Few		
Local Green Spaces	Many	Few		
Local Air Quality	Good	Poor		
Local Water Quality	Good	Poor		
Local Noise Levels	Low	High		
Local Traffic	Low	High		
Local Parking	Good	Poor		
Local Public Services	Good	Poor		
Local Public Transportation	Good	Poor		
Local Public Safety	Good	Poor		
Local Public Health	Good	Poor		
Local Public Education	Good	Poor		
Local Public Healthcare	Good	Poor		
Local Public Environment	Good	Poor		
Local Public Parks	Many	Few		
Local Public Green Spaces	Many	Few		
Local Public Air Quality	Good	Poor		
Local Public Water Quality	Good	Poor		
Local Public Noise Levels	Low	High		
Local Public Traffic	Low	High		
Local Public Parking	Good	Poor		
Local Public Services	Good	Poor		
Local Public Transportation	Good	Poor		
Local Public Safety	Good	Poor		
Local Public Health	Good	Poor		
Local Public Education	Good	Poor		
Local Public Healthcare	Good	Poor		
Local Public Environment	Good	Poor		
Local Public Parks	Many	Few		
Local Public Green Spaces	Many	Few		
Local Public Air Quality	Good	Poor		
Local Public Water Quality	Good	Poor		
Local Public Noise Levels	Low	High		
Local Public Traffic	Low	High		
Local Public Parking	Good	Poor		
Local Public Services	Good	Poor		
Local Public Transportation	Good	Poor		
Local Public Safety	Good	Poor		
Local Public Health	Good	Poor		
Local Public Education	Good	Poor		
Local Public Healthcare	Good	Poor		
Local Public Environment	Good	Poor		
Local Public Parks	Many	Few		
Local Public Green Spaces	Many	Few		
Local Public Air Quality	Good	Poor		
Local Public Water				

1. A computer implemented method for editing text in a computer text editor program, comprising:

1 2. The computer implemented method of claim 1, further comprising:
2 selecting a next instance of one repeated term in the text not previously selected
3 after replacing the previously selected associated term for the selected instance of the
4 repeated term.

1 4. The computer implemented method of claim 1, further comprising:
2 displaying a graphical user interface (GUI) with the repeated terms;
3 graphically indicating the selected instance of the repeated term in the text;
4 displaying the determined terms associated with the selected repeated term,
5 wherein the user selected associated term is substituted into the text for the graphically
6 indicated selected repeated term; and

1 5. The computer implemented method of claim 4, further comprising:
2 displaying the repeated terms with the text in the GUI differently than non-
3 repeated terms in the text.

1 7. The computer implemented method of claim 6, further comprising:
2 receiving user input of a term to remove as an associated term with the subject
3 term, wherein the removed term is not one of the determined associated terms when the
4 subject term is a subsequently determined repeated term.

1 8. The computer implemented method of claim 1, further comprising:
2 maintaining different groups of associated terms, wherein each group comprises
3 different sets of associated terms; and
4 determining a selected group of associated terms, wherein determining the terms
5 associated with the selected repeated term further comprises determining terms in the
6 selected group associated with the selected repeated term, wherein different groups are
7 capable of providing different associated terms for the selected repeated term.

1 13. A system for editing text in a computer text editor program, comprising:
2 a computer;
3 a memory device accessible to the computer;
4 an application program loaded into the memory device, wherein the computer
5 executes the application program from the memory to perform:
6 (i) determining terms repeated in a section of text;
7 (ii) determining terms associated with the repeated terms that may be used
8 as substitute terms for the repeated terms;
9 (iii) selecting one instance of one repeated term in the text;

10 (iv) receiving user selection of one associated term for the selected
11 instance of the repeated term; and
12 (v) replacing the selected associated term for the selected instance of the
13 repeated term in response to the user selection.

1 14. The system of claim 13, wherein the computer executes the application
2 program to further perform:
3 selecting a next instance of one repeated term in the text not previously selected
4 after replacing the previously selected associated term for the selected instance of the
5 repeated term.

1 15. The system of claim 13, wherein the section of text in which repeated
2 terms are determined is capable of comprising: a paragraph; a sentence; a page; a sub-
3 heading; or the entire document.

1 16. The system of claim 13, further comprising a display monitor coupled to
2 the computer, wherein the computer executes the application program to further perform:
3 displaying on the display monitor a graphical user interface (GUI) with the
4 repeated terms;
5 graphically indicating in the GUI the selected instance of the repeated term in the
6 text;
7 displaying the determined terms associated with the selected repeated term,
8 wherein the user selected associated term is substituted into the text for the graphically
9 indicated selected repeated term; and
10 graphically indicating in the GUI a next instance of one repeated term in the text
11 as the next selected instance of one repeated term.

1 20. The system of claim 13, wherein the computer executes the application
2 program to further perform:
3 maintaining different groups of associated terms, wherein each group comprises
4 different sets of associated terms; and
5 determining a selected group of associated terms, wherein determining the terms
6 associated with the selected repeated term further comprises determining terms in the
7 selected group associated with the selected repeated term, wherein different groups are
8 capable of providing different associated terms for the selected repeated term.

[illegible]

1 23. The system of claim 13, wherein determining terms repeated in the text
2 further comprises determining repeated phrases in the text, wherein the terms associated
3 with the repeated phrases comprise associated phrases.

1 25. A program for editing text in a computer text editor program, wherein the
2 program includes code embedded in a computer readable medium capable of causing a
3 computer to perform:

4 determining terms repeated in a section of text;
5 determining terms associated with the repeated terms that may be used as
6 substitute terms for the repeated terms;
7 selecting one instance of one repeated term in the text;
8 receiving user selection of one associated term for the selected instance of the
9 repeated term; and

10 replacing the selected associated term for the selected instance of the repeated
11 term in response to the user selection.

1 26. The program of claim 25, wherein the program code is further capable of
2 causing the computer to perform:
3 selecting a next instance of one repeated term in the text not previously selected
4 after replacing the previously selected associated term for the selected instance of the
5 repeated term.

1 27. The program of claim 25, wherein the section of text in which repeated
2 terms are determined is capable of comprising: a paragraph; a sentence; a page; a sub-
3 heading; or the entire document.

1 28. The program of claim 25, wherein the program code is further capable of
2 causing the computer to perform:
3 displaying a graphical user interface (GUI) with the repeated terms;
4 graphically indicating the selected instance of the repeated term in the text;
5 displaying the determined terms associated with the selected repeated term,
6 wherein the user selected associated term is substituted into the text for the graphically
7 indicated selected repeated term; and
8 graphically indicating a next instance of one repeated term in the text as the next
9 selected instance of one repeated term.

1 29. The program of claim 28, wherein the program code is further capable of
2 causing the computer to perform:
3 displaying the repeated terms with the text in the GUI differently than non-
4 repeated terms in the text.

1 31. The program of claim 30, wherein the program code is further capable of
2 causing the computer to perform:
3 receiving user input of a term to remove as an associated term with the subject
4 term, wherein the removed term is not one of the determined associated terms when the
5 subject term is a subsequently determined repeated term.

1 32. The program of claim 25, wherein the program code is further capable of
2 causing the computer to perform:
3 maintaining different groups of associated terms, wherein each group comprises
4 different sets of associated terms; and
5 determining a selected group of associated terms, wherein determining the terms
6 associated with the selected repeated term further comprises determining terms in the
7 selected group associated with the selected repeated term, wherein different groups are
8 capable of providing different associated terms for the selected repeated term.

1 33. The program of claim 32, wherein the program code is further capable of
2 causing the computer to perform:
3 receiving user input indicating to modify the groups of associated terms, wherein
4 the user input is capable of indicating to add additional associated terms to the groups,
5 remove associated terms from the groups, remove an entire group and add a new group of
6 associated terms; and

1 34. The program of claim 32, wherein the groups of associated terms comprise
2 different literary categories.

35. The program of claim 25, wherein determining terms repeated in the text further comprises determining repeated phrases in the text, wherein the terms associated with the repeated phrases comprise associated phrases.

1 36. The program of claim 25, wherein the repeated terms are capable of
2 including terms that are different words that include a same word stem.

[illegible]

METHOD, SYSTEM, AND PROGRAM FOR ENHANCING
TEXT COMPOSITION IN A TEXT EDITOR PROGRAM

ABSTRACT

Disclosed is a system, method, and program for editing text in a computer text
5 editor program. A determination is made of terms repeated in a section of text. A
determination is then made of terms associated with the repeated terms that may be used
as substitute terms for the repeated terms. A selection is made of one instance of one
repeated term in the text and user selection is received of one associated term for the
selected instance of the repeated term. The selected associated term is replaced for the
10 selected instance of the repeated term in response to the user selection. Moreover,
associates of repeated terms may be categorized by groups, such as groups of literary
categories.

002030" 5393E960

FIG. 1




FIG. 2




FIG. 3




FIG. 4




FIG. 5





FIG. 6



DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET:
ROC920000077US1

As a below named inventor, I hereby declare that:

My residence, post office address and citizenship are as stated below next to my name;

I believe I am the original, first and sole inventor (if only one name is listed below) or an original, first and joint inventor (if plural names are listed below) of the subject matter which is claimed and for which a patent is sought on the invention entitled

METHOD, SYSTEM, AND PROGRAM FOR ENHANCING TEXT COMPOSITION IN A TEXT EDITOR PROGRAM

the specification of which (check one)

☒ is attached hereto.

☐ was filed on _____

as Application Serial No. _____

and was amended on _____ (if applicable).

I hereby state that I have reviewed and understand the contents of the above identified specification, including the claims, as amended by any amendment referred to above.

I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56.

I hereby claim foreign priority benefits under Title 35, United States Code, Section 119(a)-(d) or Section 365(b) of any foreign application(s) for patent or inventor's certificate, or Section 365(a) of any PCT International application which designated at least one country other than the United States, listed below and have also identified below any foreign application for patent or inventor's certificate or PCT International application having a filing date before that of the application on which priority is claimed:

Prior Foreign Application(s)

Priority Claimed

☐ None ☐ Yes ☐ No
(Number) (Country) (Day/Month/Year Filed)

I hereby claim the benefit under Title 35, United States Code, Section 120 of any United States application(s) or Section 365(c) of any PCT International application designating the United States, listed below and, insofar as the subject matter of each of the claims of this application is not disclosed in the prior United States or PCT International application in the manner provided by the first paragraph of Title 35, United States Code, Section 112, I acknowledge the duty to disclose information which is material to patentability as defined in Title 37, Code of Federal Regulations, Section 1.56, which occurred between the filing date of the prior application and the national or PCT international filing date of this application:

☐ None _____
(Application Serial No.) (Filing Date) (Status) (patented, pending, abandoned)

I hereby declare that all statements made herein of my own knowledge are true and that all statements made on information and belief are believed to be true; and further that these statements were made with the knowledge that willful false statements and the like so made are punishable by fine or imprisonment, or both, under Section 1001 of Title 18 of the United States Code and that such willful false statements may jeopardize the validity of the application or any patent issued thereon.

DECLARATION AND POWER OF ATTORNEY FOR PATENT APPLICATION

DOCKET:
ROC920000077US1

POWER OF ATTORNEY: David W. Victor, Reg. No. 39,867; William K. Konrad, Reg. No. 28,868; Gary D. Mann, Reg. No. 34,867; Alan S. Raynes, Reg. No. 39,809; Owen J. Gamon, Reg. No. 36,143; Pryor A. Garnett, Reg. No. 32,136; Steven W. Roth, Reg. No. 34,712; John E. Hoel, Reg. No. 26,279; James R. Nock, Reg. No. 42,937; Christopher A. Hughes, Reg. No. 26,914; Edward A. Pennington, Reg. No. 32,588; Joseph C. Redmond, Jr., Reg. No. 18,753.

Send correspondence to:

David Victor, Esq
1180 South Beverly Dr., Ste. 501
Los Angeles, CA 90035

Direct all telephone calls to David Victor at (310) 553-7977

FULL NAME OF INVENTOR ONE: Cary Lee Bates

INVENTORS SIGNATURE:

Cary Lee Bates

DATE:

8-1-00

RESIDENCE: 450 73rd Street N.W., Rochester, Minnesota 55901

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence

FULL NAME OF INVENTOR TWO: Paul Rueben Day

INVENTORS SIGNATURE:

Paul Rueben Day

DATE:

8-1-2000

RESIDENCE: 1428 12th Avenue N.E., Rochester, Minnesota 55906

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence

FULL NAME OF INVENTOR THREE: John Matthew Santosuosso

INVENTORS SIGNATURE:

John Matthew Santosuosso

DATE:

8-1-2000

RESIDENCE: 1402 30th Street N.W., Rochester, Minnesota 55901

CITIZENSHIP: United States of America

POST OFFICE ADDRESS: same as residence